ysalis

ALL YOU NEED

DESIGN &
TECHNOLOGY
FOR ALL

legrand®

ysalis

DESIGN
& UNIQUE

- The perfect range to offer a blend of the latest design and technology
- Contemporary design with large rocker and slim curvy designed plates
- Different modules to choose from 1 to 3 modules and up to 6 modules
- Different kinds of sockets: RSA Current standard, New Standard, Data, Television and USB
- Ysalis range can perfectly adapt to Legrand trunking systems
- All these advantages make Ysalis the ideal range for all projects: residential, commercial and hospitality.

Switches & sockets

2"x 4" Plate
for 1 Lever Switch
CHAMPAGNE

2"x 4" Plate
for 2 Lever Switch
CHAMPAGNE

2"x 4" Plate for 3
Lever Switch
WHITE

2"x 4" Plate for 4
Lever Switch
CHAMPAGNE

4"x 4" Plate
NEW RSA Socket + Current RSA combined unit
CHAMPAGNE

4"x 4" Plate
Double Current RSA Socket
WHITE

4"X 4" Plate
Telephone, Data + Television
WHITE

4" X 4" PLATE
New RSA switched socket + current RSA switched socket
CHAMPAGNE

ysalis

DESIGNED
FOR ALL

The Design By Legrand for all,
Ysalis, a European touch for all interiors

Design & unique

SLIM PROFILE

- 9mm slim profile
- Curvy Designed Plate
- Available in White & Champagne

WHITE

CHAMPAGNE

MODULARITY

- Switches to blend with your choice 1, 1.5 and 3 modules on the same plate.
- Modular offer to adapt perfectly to present & future needs of innovation.

ysalis

COMFORT SAFETY
& CONVENIENCE

INNOVATION +

- Modular range.
- Innovative functions which can adapt to current and future innovations.
- Functions which are smart and unique.

Comfort, Safety & Convenience

UNIVERSAL DIMMER

It can dim all kinds of incandescent & halogen loads. Halogen with ferromagnetic or electronic transformer. Dimmable leds and compact fluorescent lamps.

CAN BE INSTALLED IN EXISTING AND NEW INSTALLATIONS.

INDICATOR ON SWITCH

All the indicators on the switches are made of fluorescent lens. It glows in the dark, which helps identifying where the switch is located.

DISCRETION AND ENERGY SAVING.

DATA SOCKETS

All the data sockets will have toolless connectors. No need for punch down tools. You can re-use the connectors even in case of termination problems.

THE EASIEST INSTALLATION

4"x 4" Plate
2 RJ45 + telephone + TV
WHITE

TV SOCKETS

One of the products dedicated to audio / video connections.

THE DESIRED LEVEL OF ENTERTAINEMENT

2"x 4" Plate
V socket F type mechanism
CHAMPAGNE

DOUBLE OR TRIPLE POLE SWITCHES

4"x 4" Plate
40A disconnector switch with indicator
CHAMPAGNE

2"x 4" Plate
20A DP switch with indicator
CHAMPAGNE

4"x 4" Plate
60A TP Isolator switch with indication
WHITE

ysalis

THE THINNEST
ON THE MARKET

Practical & unique

MODULARITY: INCREASE, CHANGE, REMOVE

No need to break the wall, you can increase, change, remove the number of lighting points, connections with the same box and support.

WIRING CAPACITY:

4 X 2.5 MM²

Captive screw terminals

WIRING CAPACITY:

2 X 2.5 MM2

- Mechanism depth: 32.5 mm
- Oriented terminals for easy access
- Captive screw terminals

MECHANISM SIZE OPTIMISATION

- More space in the back box for easy wiring
- 21 mm depth
- Slim mechanism

- Spacer to separate low and high currents

legrand

ysalis

A RANGE OF VARIOUS FUNCTIONS AND FINISHES

16 Ax one-way switch
3 modules with fluo
CHAMPAGNE

2 x 10 AX two-way switch
1.5 module with fluo
WHITE

2 x 16 AX one-way switch
1.5 module with fluo
CHAMPAGNE

3 x 16 AX two-way switch
1 module with fluo
WHITE

20 A 2-pole switch
1.5 module with fluo
CHAMPAGNE

2 x 10 AX one-way switch
1.5 module with 2 mechanisms
CHAMPAGNE

2 x 16 A South African switched socket
2 x 3 modules
WHITE

2 x 16 A new South African switched socket +
1 current South African 16 A switched socket
2 x 3 modules
CHAMPAGNE

2 x new 16 A South African switched socket
1.5 module + current 16 A South African
switched socket 3 modules
WHITE

2 x new 16 A South African switched socket
1.5 module + current 16 A South African
switched socket 3 modules
CHAMPAGNE

Universal 300 W dimmer 2 modules
+2 x blank cover kit 0.5 module
WHITE

16 A bell press / dimmer press
1.5 module
CHAMPAGNE

RJ 11 socket 1 module + 1 x RJ 45 socket Cat. 6
UTP 1.5 module + «F» type TV socket
WHITE

40A disconnector switch with indicator
monobloc 4 x 4
CHAMPAGNE

"F" type TV socket
1.5 module
CHAMPAGNE

legrand

Ysalis mechanisms, support frames and plates

best sellers selection chart

FUNCTION	MECHANISMS		+	SUPPORT FRAMES	PLATES
	Designation		Cat.Nos	Cat.Nos	Cat.Nos
1 Lever One Way Switch	White	1.5 module (with fluo)	1 x 7 010 12	1 x 7 011 70	1 x 7 011 80
	Champagne	1.5 module (with fluo)	1 x 7 011 12	1 x 7 011 70	1 x 7 011 85
2 Lever One Way Switch	White	1.5 module (with fluo)	2 x 7 010 12	1 x 7 011 72	1 x 7 011 82
	Champagne	1.5 module (with fluo)	2 x 7 011 12	1 x 7 011 72	1 x 7 011 87
3 Lever One Way Switch	White	1 module (with fluo)	3 x 7 010 10	1 x 7 011 72	1 x 7 011 82
	Champagne	1 module (with fluo)	3 x 7 011 10	1 x 7 011 72	1 x 7 011 87
4 Lever One Way Switch	White	1.5 module (with fluo)	2 x 7 010 16	1 x 7 011 72	1 x 7 011 82
	Champagne	1.5 module (with fluo)	2 x 7 011 14	1 x 7 011 72	1 x 7 011 87
1 Lever One Way Switch	White	3 module (with fluo)	1 x 7 010 14	1 x 7 011 72	1 x 7 011 82
	Champagne	3 module (with fluo)	1 x 7 011 16	1 x 7 011 72	1 x 7 011 87
South African Socket Outlet	White	1.5 module, switched socket	1 x 7 010 21	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	Champagne	1.5 module, switched socket	1 x 7 011 21	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
South African Socket Outlet	White	3 module, switched socket	1 x 7 010 23	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	Champagne	3 module, switched socket	1 x 7 011 23	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
New Socket RSA	White	Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A	1 x 7 010 47	Complete One Unit	Complete One Unit
	Champagne	Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A	1 x 7 011 47	Complete One Unit	Complete One Unit
New Double Socket RSA	White	New Double RSA Switched (Switch All) Socket (2 New Socket + 1 Old) Monobloc 4 x 4	1 x 7 010 25	Complete One Unit	Complete One Unit
	Champagne	New Double RSA Switched (Switch All) Socket (2 New Socket + 1 Old) Monobloc 4 x 4	1 x 7 011 25	Complete One Unit	Complete One Unit
40 A Disconnector Switch	White	40 A Disconnector Switch with Indicator Monobloc 4 X 4	1 x 7 010 32	Complete One Unit	Complete One Unit
	Champagne	40 A Disconnector Switch with Indicator Monobloc 4 X 4	1 x 7 011 32	Complete One Unit	Complete One Unit

Ysalis

switches, dimmer and fan controller

7 010 04

7 011 04

7 010 00

7 011 12

7 011 16

7 010 11

7 011 32

7 010 33

Mechanisms to be equipped with support frames and plates (p. 15)

10 AX switches - 250 V∿

Pack*	Cat.Nos White	Cat.Nos Champagne	
			One-way switches
10 | 200	7 010 16	7 011 14	1.5 mod. (with fluo) 2 mechanisms
			Two-way switches
10 | 200	7 010 17	7 011 15	1.5 mod. (with fluo) 2 mechanisms
			Intermediate switch
10 | 200	7 010 36	7 011 36	1.5 mod. (with fluo)

* Box | Carton

16 AX switches - 250 V∿

Pack*	Cat.Nos White	Cat.Nos Champagne	
			One-way switches
10 | 200	7 010 10	7 011 10	1 mod. (with fluo) Can be used to compose a 3 module / 3 mechanism switch
10 | 200	7 010 12	7 011 12	1.5 mod. (with fluo)
5 | 100	7 010 14	7 011 16	3 mod. (with fluo)
			Two-way switches
10 | 200	7 010 11	7 011 11	1 mod. (with fluo)
10 | 200	7 010 13	7 011 13	1.5 mod. (with fluo)
5 | 100	7 010 15	7 011 17	3 mod. (with fluo)

* Box | Carton

20 A, 2-pole switches - 250 V∿

Pack*	Cat.Nos White	Cat.Nos Champagne	
10 | 200	7 010 30	7 011 30	1.5 mod, with indicator
10 | 200	7 010 31	7 011 31	1.5 mod, without indicator

Bell press

	White	Champagne	
10 | 200	7 010 34	7 011 34	Bell press 1 mod
10 | 200	7 010 35	7 011 35	Bell press 1.5 mod

40 A, disconnector switch - 250 V∿

	White	Champagne	
1 | 10	7 010 32	7 011 32	Monobloc 4 x 4, with indicator, supplied complete

60 A, 3-pole isolator switch

	White	Champagne	
1 | 12	7 010 33	7 011 33	Monobloc 4 x 4, with indication, Supplied complete

* Box | Carton

Ysalis

socket outlets

7 011 25

7 010 23

7 011 21

Mechanisms to be equipped with support frames and plates (p. 15)

New South African socket outlets - 16 A

Pack*	White	Champagne	
10 | 100	7 010 20	7 011 20	1 mod.
10 | 100	7 010 21	7 011 21	1.5 mod, switched socket

South African socket outlets - 16 A

Pack*	White	Champagne	Red	
10 | 100	7 010 22	7 011 22		2 mod.
10 | 100			7 010 24	2 mod, dedicated
10 | 100	7 010 23	7 011 23		3 mod, switched socket
1 | 10	7 010 25	7 011 25		2 x 3 mod, new double switched (switch all) socket (2 new sockets + 1 old), monobloc 4 x 4, supplied complete
1 | 10	7 010 47	7 011 47		Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A Intelligent charging

* Box | Carton

Ysalis

television sockets, dimmer and fan controller

7 011 51

7 011 61

Mechanisms to be equipped with support frames and plates (p. 15)

German standard socket outlet - 16 A

Pack*	White	Champagne	
10 | 100	7 010 26	7 011 26	2 mod.

"F" type TV sockets

Pack*	White	Champagne	
10 | 200	7 010 50	7 011 50	1 mod.
	7 010 51	7 011 51	1.5 mod.

Dimmer

Pack*	White	Champagne	
1 | 20	7 010 61	7 011 61	100 / 240 VA 50 / 60 Hz Universal 300 W dimmer 2 mod.

Fan controller

Pack*	White	Champagne	
5 | 100	7 010 60	7 011 60	0-4 speed regulation - 100 W 1 mod.

* Box | Carton

Ysalis

data and USB sockets

7 011 40

7 010 43

Mechanisms to be equipped with support frames and plates (p. 15)

RJ 11 sockets

Pack*	White	Champagne	
10 | 200	7 010 40	7 011 40	1 mod.
10 | 200	7 010 41	7 011 41	1.5 mod.

RJ 45 sockets

Pack*	White	Champagne	
			Cat.5e UTP
10 | 200	7 010 42	7 011 42	1 mod.
10 | 200	7 010 43	7 011 43	1.5 mod.
			Cat.6 UTP
10 | 200	7 010 44	7 011 44	1 mod.
10 | 200	7 010 45	7 011 45	1.5 mod.

USB sockets

Pack*	White	Champagne	
10 | 200	7 010 46	7 011 46	1.5 mod.

* Box | Carton

Ysalis

support frames & accessories

7 011 72 7 011 74 7 010 91

Pack*	Cat. Nos White	Support frames	
		For 1.5 mod. mechanisms	
12 | 144	7 011 70		2'' x 4'' horizontal support frame
12 | 144	7 011 71		2'' x 4'' vertical support frame
		For 3 mod. mechanisms	
12 | 144	7 011 72		2'' x 4'' vertical support frame
		For 4 mod. mechanisms	
12 | 96	7 011 73		4'' x 4'' support frame
		For 2 x 3 mod. mechanisms	
12 | 96	7 011 74		4'' x 4'' support frame

Pack*	White	Champagne	Accessories
1 | 40	7 010 90	7 011 90	2'' x 4'' blanking plate
100 | 2000	7 010 91	7 011 91	Blank cover kit, 0.5 mod.
20 | 240	7 011 79		Spacer for back box to separate data from power sockets

* Box | Carton

Ysalis

plates

7 011 81 7 011 82 7 011 88

Pack*	Cat.Nos White	Champagne	Plates
			For 1.5 mod. mechanisms
10 | 120	7 011 80	7 011 85	2'' x 4'' horizontal plate
10 | 120	7 011 81	7 011 86	2'' x 4'' vertical plate
			For 3 mod. mechanisms
10 | 120	7 011 82	7 011 87	2'' x 4'' vertical plate
			For 3 mod. mechanisms
5 | 100	7 010 37	7 011 37	4'' x 4'' plate
			For 3 mod. mechanisms
5 | 100	7 010 38	7 011 38	2'' x 4'' horizontal plate
			For 4 mod. mechanisms
5 | 100	7 011 83	7 011 88	4'' x 4'' plate
			For 2 x 3 mod. mechanisms
5 | 100	7 011 84	7 011 89	4'' x 4'' plate
			Blanking plate
5 | 100	7 010 39	7 011 39	4'' x 4'' plate

* Box | Carton

An effective tool to fight counterfeiting

Each product has a unique registration number. With the Copytracer number, you can immediately verify if it is a legitimate Legrand product or not.

Find the Copytracer label on the product box

To verify the authenticity of Legrand products:

Simply go to http://www.legrand-copytracer.com

Step 1: Create your user account under the **register** tab

Step 2: Identify your product under the **enter copytracer nº** tab

Step 3: In the event of not having a number, go to the **product without copytracer nº** tab

Step 4: If you can't read the number, go to the **illegible copytracer nº** tab

■ Counterfeits are dangerous and present risks for property and persons when used. The Copytracer number ensures that a product is traced and guarantees its production quality.

* Copytracer is a trademark of Legrand

legrand

Ysalis Prepacks

FUNCTION	MECHANISMS	
	Colour	Description
PY124WHTL PY124CHAL	White	PY124WHTL 1 Lever Switch Large White
	Champagne	PY124CHAL 1 Lever Switch Large Champagne
PY124WHT PY124CHA	White	PY124WHT 1 Lever Switch White
	Champagne	PY124CHA 1 Lever Switch Champagne
PY1224WHT PY1224CHA	White	PY1224WHT 1 Lever Switch 2-Way White
	Champagne	PY1224CHA 1 Lever Switch 2-Way Champagne
PYI124WHT PYI124CHA	White	PYI124WHT 1 Lever Intermediate Switch White
	Champagne	PYI124CHA 1 Lever Intermediate Switch Champagne
PYDP24WHT PYDP24CHA	White	PYDP24WHT Push Button (Bell-Press) White
	Champagne	PYDP24CHA Push Button (Bell-Press) Champagne
PYDP124WHT PYDP124CHA	White	PYDP124WHT Push Button (Bell-Press) +1L 1Way White
	Champagne	PYDP124CHA Push Button (Bell-Press) +1L 1Way Champagne
PYDP1224WHT PYDP1224CHA	White	PYDP1224WHT Push Button (Bell-Press) + 1L 2Way White
	Champagne	PYDP1224CHA Push Button (Bell-Press) + 1L 2Way Champagne

FUNCTION	MECHANISMS	
	Colour	Description
PY224WHT PY224CHA	White	PY224WHT 2 Lever Switch White
	Champagne	PY224CHA 2 Lever Switch Champagne
PY2224WHT PY2224CHA	White	PY2224WHT 2 Lever Switch 2-Way White
	Champagne	PY2224CHA 2 Lever Switch 2-Way Champagne
PYDP224WHT PYDP224CHA	White	PYDP224WHT Push Button (Bell-Press) + 2L 1Way White
	Champagne	PYDP224CHA Push Button (Bell-Press) + 2L 1Way Champagne
PY324WHT PY324CHA	White	PY324WHT 3 Lever Switch White
	Champagne	PY324CHA 3 Lever Switch Champagne
PY3224WHT PY3224CHA	White	PY3224WHT 3 Lever Switch 2-Way White
	Champagne	PY3224CHA 3 Lever Switch 2-Way Champagne
PY424WHT PY424CHA	White	PY424WHT 4 Lever Switch White
	Champagne	PY424CHA 4 Lever Switch Champagne
PY4224WHT PY4224CHA	White	PY4224WHT Four Lever Switch 2-Way White
	Champagne	PY4224CHA Four Lever Switch 2-Way Champagne

FUNCTION	MECHANISMS	
	Colour	Description
PYD124WHT PYD124CHA	White	PYD124WHT 1 Lever Dimmer Switch White
	Champagne	PYD124CHA 1 Lever Dimmer Switch Champagne
PYISO40AWHT PYISO40ACHA	White	PYISO40AWHT 40A Isolator 4X4 White
	Champagne	PYISO40ACHA 40A Isolator 4X4 Champagne
PYNO44WHT PYNO44CHA	White	PYNO44WHT New RSAx3 + Old RSA Socket White
	Champagne	PYNO44CHA New RSAx3 + Old RSA Socket Champagne
PYO44WHT PYO44CHA	White	PYO44WHT Old RSA Double Socket White
	Champagne	PYO44CHA Old RSA Double Socket Champagne
PYONTVD44WHT PYONTVD44CHA	White	PYONTVD44WHT Old/New RSA Socket + TV + Data White
	Champagne	PYONTVD44CHA Old/New RSA Socket + TV + Data Champagne
PYNSUD44WHT PYNSUD44CHA	White	PYNSUD44WHT New RSA Socket Switched x2 + USB x2 + Data White
	Champagne	PYNSUD44CHA New RSA Socket Switched x2 + USB x2 + Data Champagne
PYDEDA44WHT PYDEDA44CHA	White	PYDEDA44WHT Dedicated Socket + Data x2 White
	Champagne	PYDEDA44CHA Dedicated Socket + Data x2 Champagne

FUNCTION	MECHANISMS	
	Colour	Description
PYNOS44WHT PYNOS44CHA	White	PYNOS44WHT New RSA + Old Double Socket Switched White
	Champagne	PYNOS44CHA New RSA + Old Double Socket Switched Champagne
PY701025WHT PY701125CHA	White	PY701025WHT New RSA Double (Switch All) Socket Monobloc White
	Champagne	PY701125CHA New RSA Double (Switch All) Socket Monobloc Champagne
PYSO44WHT PYSO44CHA	White	PYSO44WHT Single old RSA Socket Switched White
	Champagne	PYSO44CHA Single old RSA Socket Switched Champagne
PYONSU44WHT PYONSU44CHA	White	PYONSU44WHT Old RSA Socket Switched + New RSA Socket Switched + Double USB White
	Champagne	PYONSU44CHA Old RSA Socket Switched + New RSA Socket Switched + Double USB Champagne
PYMONU44WHT PYMONU44CHA	White	PYMONU44WHT Mono block 1x old RSA socket 1x New RSA socket and double USB type A&C 5VDC 3A
	Champagne	PYMONU44CHA Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A

FOLLOW US ALSO ON

website: www.legrand.co.za
www.facebook.com/LegrandSouthAfrica
@legrandsa
Legrand South Africa
https://za.pinterest.com/legrandsa
@legrand_south_africa

LEGRAND S.A.
21 Spartan Crescent
Eastgate Ext 3
Sandton 2054
Tel: +27 11 444 7971
Fax: +27 11 444 7980
Email: legrand.south-africa@legrand.co.za