

ysalis

ALL YOU NEED



DESIGN &
TECHNOLOGY
FOR ALL



 **legrand**[®]

ysalis

DESIGN & UNIQUE

- The perfect range to offer a blend of the latest design and technology
- Contemporary design with large rocker and slim curvy designed plates
- Different modules to choose from 1 to 3 modules and up to 6 modules
- Different kinds of sockets: RSA Current standard, New Standard, Data, Television and USB
- Ysalis range can perfectly adapt to Legrand trunking systems
- All these advantages make Ysalis the ideal range for all projects: residential, commercial and hospitality.



Switches & sockets



2" x 4" Plate
1 Lever Switch
BLACK



2" x 4" Plate
2 Lever Switch
CHAMPAGNE



2" x 4" Plate
3 Lever Switch
WHITE



2" x 4" Plate
4 Lever Switch
BLACK



4" x 4" Plate
New RSA Socket + Current RSA monobloc unit
BLACK



4" x 4" Plate
Double Current RSA Socket
WHITE



4" X 4" Plate
Telephone, Data + Television
WHITE



4" X 4" Plate
New RSA switched socket + current RSA switched
socket
CHAMPAGNE



ysalis

DESIGNED
FOR ALL

The Design By Legrand for all,
Ysalis, a European touch for all interiors

Design & unique

SLIM PROFILE

- 9mm slim profile
- Curvy Designed Plate
 - Available in White, Champagne & Black



WHITE
CHAMPAGNE
BLACK



MODULARITY

- Switches to blend with your choice 1, 1.5 and 3 modules on the same plate.
- Modular offer to adapt perfectly to present & future needs of innovation.



ysalis

COMFORT SAFETY
& CONVENIENCE

INNOVATION +

- Modular range.
- Innovative functions which can adapt to current and future innovations.
- Functions which are smart and unique.

Comfort, Safety & Convenience



UNIVERSAL DIMMER

It can dim all kinds of incandescent & halogen loads. Halogen with ferromagnetic or electronic transformer. Dimmable leds and compact fluorescent lamps.

CAN BE INSTALLED IN EXISTING AND NEW INSTALLATIONS.



INDICATOR ON SWITCH

All the indicators on the switches are made of fluorescent lens. It glows in the dark, which helps identifying where the switch is located.

DISCRETION AND ENERGY SAVING.

DOUBLE OR TRIPLE POLE SWITCHES



4" x 4" Plate
40A disconnect switch with indicator
BLACK



2" x 4" Plate
20A DP switch with indicator
BLACK

DATA SOCKETS

All the data sockets will have toolless connectors. No need for punch down tools. You can re-use the connectors even in case of termination problems.

THE EASIEST INSTALLATION



4" x 4" Plate
2 RJ45 + telephone + TV
WHITE

TV SOCKETS

One of the products dedicated to audio / video connections.

THE DESIRED LEVEL OF ENTERTAINMENT



2" x 4" Plate
TV socket F type mechanism
CHAMPAGNE



ysalis

THE THINNEST
ON THE MARKET


Practical & unique



MODULARITY: INCREASE, CHANGE, REMOVE


- No need to break the wall, you can increase, change, remove the number of lighting points, connections with the same box and support.

MECHANISM SIZE OPTIMISATION



- More space in the back box for easy wiring
- 21 mm depth
- Slim mechanism

WIRING CAPACITY:




4 X 2.5 MM²
Captive screw terminals

WIRING CAPACITY:



2 X 2.5 MM²

- Mechanism depth: 32.5 mm
- Oriented terminals for easy access
- Captive screw terminals



- Spacer to separate low and high currents

ysalis

A RANGE OF VARIOUS
FUNCTIONS AND FINISHES





RJ45 Socket Cat. 6 UTP 1 module + «F» type TV socket 1 module + new RSA socket 1 module + old RSA socket 3 module
BLACK



2 x new 16 A South African switched socket 1.5 module + current 16 A South African switched socket 3 modules
WHITE



2 x 10 AX two-way switch 1.5 module
WHITE



16 AX one-way switch 3 modules
BLACK



3 x new RSA sockets 1 module + old RSA socket 3 module
BLACK



2 x 16 A South African switched socket 2 x 3 modules
WHITE



Universal 300 W dimmer 2 modules + 2 x blank cover kit 0.5 module
WHITE



16 AX bell press / dimmer press 1.5 module
BLACK



Type A & C USB sockets + old and new RSA sockets monobloc
BLACK



40A disconnecter switch with indicator monobloc 4 x 4
CHAMPAGNE









"F" type TV socket 1.5 module
CHAMPAGNE



2 x 10 AX one-way switch 1.5 module with 2 mechanisms
CHAMPAGNE

Ysalis mechanisms, support frames and plates

best sellers selection chart

FUNCTION	MECHANISMS		+	SUPPORT FRAMES	PLATES
		Designation	Cat.Nos	Cat.Nos	Cat.Nos
1 Lever One Way Switch 	○ White	1.5 module (with fluo)	1 x 7 010 12	1 x 7 011 70	1 x 7 011 81
	● Champagne	1.5 module (with fluo)	1 x 7 011 12	1 x 7 011 70	1 x 7 011 86
	● Black	1.5 module (with fluo)	1 x 7 013 12	1 x 7 011 70	1 x 7 013 81
2 Lever One Way Switch 	○ White	1.5 module (with fluo)	2 x 7 010 12	1 x 7 011 72	1 x 7 011 82
	● Champagne	1.5 module (with fluo)	2 x 7 011 12	1 x 7 011 72	1 x 7 011 87
	● Black	1.5 module (with fluo)	2 x 7 013 12	1 x 7 011 72	1 x 7 013 82
3 Lever One Way Switch 	○ White	1 module (with fluo)	3 x 7 010 10	1 x 7 011 72	1 x 7 011 82
	● Champagne	1 module (with fluo)	3 x 7 011 10	1 x 7 011 72	1 x 7 011 87
	● Black	1 module (with fluo)	3 x 7 013 10	1 x 7 011 72	1 x 7 013 82
4 Lever One Way Switch 	○ White	1.5 module (with fluo)	2 x 7 010 16	1 x 7 011 72	1 x 7 011 82
	● Champagne	1.5 module (with fluo)	2 x 7 011 14	1 x 7 011 72	1 x 7 011 87
	● Black	1.5 module (with fluo)	2 x 7 013 16	1 x 7 011 72	1 x 7 013 82
1 Lever One Way Switch 	○ White	3 module (with fluo)	1 x 7 010 14	1 x 7 011 72	1 x 7 011 82
	● Champagne	3 module (with fluo)	1 x 7 011 16	1 x 7 011 72	1 x 7 011 87
	● Black	3 module (with fluo)	1 x 7 013 14	1 x 7 011 72	1 x 7 013 82
South African Socket Outlet 	○ White	1.5 module, switched socket	1 x 7 010 21	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	● Champagne	1.5 module, switched socket	1 x 7 011 21	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	● Black	1.5 module, switched socket	1 x 7 013 21	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
South African Socket Outlet 	○ White	3 module, switched socket	1 x 7 010 23	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	● Champagne	3 module, switched socket	1 x 7 011 23	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15
	● Black	3 module, switched socket	1 x 7 013 23	Dependent on configuration - see pg 15	Dependent on configuration - see pg 15

Ysalis

switches, dimmer and fan controller



7 013 16



7 011 15



7 010 00



7 011 12



7 013 14



7 010 11



7 013 32

Mechanisms to be equipped with support frames and plates (p. 15)

Pack*	Cat.Nos	10 AX switches - 250 V~
10 200	7 010 16 7 011 14 7 013 16	One-way switches 1.5 mod. (with fluo). 2 mechanisms <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 17 7 011 15 7 013 17	Two-way switches 1.5 mod. (with fluo). 2 mechanisms <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 36 7 011 36 7 013 36	Intermediate switch 1.5 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black

* Box | Carton

Pack*	Cat.Nos	16 AX switches - 250 V~
10 200	7 010 10 7 011 10 7 013 10	One-way switches 1 mod. (with fluo). Can be used to compose a 3 module / 3 mechanism switch <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 12 7 011 12 7 013 12	1.5 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black
5 100	7 010 14 7 011 16 7 013 14	3 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 11 7 011 11 7 013 11	Two-way switches 1 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 13 7 011 13 7 013 13	1.5 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black
5 100	7 010 15 7 011 17 7 013 15	3 mod. (with fluo) <ul style="list-style-type: none"> ○ White ● Champagne ● Black

* Box | Carton

Pack*	Cat.Nos	20 A, 2-pole switches - 250 V~
10 200	7 010 30 7 011 30 7 013 30	1.5 mod, with indicator <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 31 7 011 31	1.5 mod, without indicator <ul style="list-style-type: none"> ○ White ● Champagne
10 200	7 010 34 7 011 34 7 013 34	Bell press Bell press 1 mod <ul style="list-style-type: none"> ○ White ● Champagne ● Black
10 200	7 010 35 7 011 35 7 013 35	Bell press 1.5 mod <ul style="list-style-type: none"> ○ White ● Champagne ● Black
1 10	7 010 32 7 011 32 7 013 32	40 A, disconnecter switch - 250 V~ Monobloc 4 x 4, with indicator, supplied complete <ul style="list-style-type: none"> ○ White ● Champagne ● Black

* Box | Carton



7 013 25 7 010 23 7 011 21

Mechanisms to be equipped with support frames and plates (p. 15)

Pack*	Cat.Nos	New South African socket outlets - 16 A
10 100	7 010 20 7 011 20 7 013 20	1 mod. ○ White ● Champagne ● Black
10 100	7 010 21 7 011 21 7 013 21	1.5 mod, switched socket ○ White ● Champagne ● Black
10 100	7 010 22 7 011 22 7 013 22	2 mod. ○ White ● Champagne ● Black
10 100	7 010 24	2 mod, dedicated ● Red
10 100	7 010 23 7 011 23 7 013 23	3 mod, switched socket ○ White ● Champagne ● Black
1 10	7 010 25 7 011 25 7 013 25	2 x 3 mod, new double switched (switch all) socket (2 new sockets + 1 old), monobloc 4 x 4, supplied complete ○ White ● Champagne ● Black
1 10	7 010 47 7 011 47 7 013 47	Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A Intelligent charging ○ White ● Champagne ● Black

* Box | Carton



7 011 51 7 011 61

Mechanisms to be equipped with support frames and plates (p. 15)

Pack*	Cat.Nos	German standard socket outlet - 16 A
10 100	7 010 26 7 011 26	2 mod. ○ White ● Champagne
10 200	7 010 50 7 011 50 7 013 50	"F" type TV sockets 1 mod. ○ White ● Champagne ● Black
	7 010 51 7 011 51 7 013 51	1.5 mod. ○ White ● Champagne ● Black
1 20	7 010 61 7 011 61 7 013 61	Dimmer 100 / 240 VA 50 / 60 Hz Universal 300 W dimmer 2 mod. ○ White ● Champagne ● Black
5 100	7 010 60 7 011 60	Fan controller 0-4 speed regulation - 100 W 1 mod. ○ White ● Champagne

* Box | Carton



7 013 40 7 010 43

Mechanisms to be equipped with support frames and plates (p. 15)

Pack*	Cat.Nos	RJ 11 sockets
10 200	7 010 40 7 011 40 7 013 40	1 mod. ○ White ● Champagne ● Black
10 200	7 010 41 7 011 41 7 013 41	1.5 mod. ○ White ● Champagne ● Black
10 200	7 010 42 7 011 42 7 013 42	RJ 45 sockets Cat.5e UTP 1 mod. ○ White ● Champagne ● Black
10 200	7 010 43 7 011 43 7 013 43	1.5 mod. ○ White ● Champagne ● Black
10 200	7 010 44 7 011 44 7 013 44	Cat.6 UTP 1 mod. ○ White ● Champagne ● Black
10 200	7 010 45 7 011 45	1.5 mod. ○ White ● Champagne
10 200	7 010 46 7 011 46 7 013 46	USB sockets 1.5 mod. ○ White ● Champagne ● Black

* Box | Carton

Ysalis

support frames & accessories



7 011 72 7 011 74 7 010 91

Pack*	Cat.Nos	Support frames
12 144	7 011 70	For 1.5 mod. mechanisms 2" x 4" horizontal support frame ○ White
12 144	7 011 71	2" x 4" vertical support frame ○ White
12 144	7 011 72	For 3 mod. mechanisms 2" x 4" vertical support frame ○ White
12 96	7 011 73	For 4 mod. mechanisms 4" x 4" support frame ○ White
12 96	7 011 74	For 2 x 3 mod. mechanisms 4" x 4" support frame ○ White

Pack*	Cat.Nos	Accessories
1 40	7 010 90 7 011 90 7 013 90	2" x 4" blanking plate ○ White ● Champagne ● Black
100 2000	7 010 91 7 011 91 7 013 91	Blank cover kit, 0.5 mod. ○ White ● Champagne ● Black
20 240	7 011 79	Spacer for back box to separate data from power sockets ○ White

* Box | Carton

Ysalis

plates



7 011 81 7 013 82 7 011 88

Pack*	Cat.Nos	Plates
10 120	7 011 80 7 011 85 7 013 80	For 1.5 mod. mechanisms 2" x 4" horizontal plate ○ White ● Champagne ● Black
10 120	7 011 81 7 011 86 7 013 81	2" x 4" vertical plate ○ White ● Champagne ● Black
10 120	7 011 82 7 011 87 7 013 82	For 3 mod. mechanisms 2" x 4" vertical plate ○ White ● Champagne ● Black
5 100	7 010 37 7 011 37 7 013 37	For 3 mod. mechanisms 4" x 4" plate ○ White ● Champagne ● Black
5 100	7 010 38 7 011 38	For 3 mod. mechanisms 2" x 4" horizontal plate ○ White ● Champagne
5 100	7 011 83 7 011 88 7 013 83	For 4 mod. mechanisms 4" x 4" plate ○ White ● Champagne ● Black
5 100	7 011 84 7 011 89 7 013 84	For 2 x 3 mod. mechanisms 4" x 4" plate ○ White ● Champagne ● Black
5 100	7 010 39 7 011 39 7 013 39	Blanking plate 4" x 4" plate ○ White ● Champagne ● Black

* Box | Carton

An effective tool to fight counterfeiting

Each product has a unique registration number. With the Copytracer number, you can immediately verify if it is a legitimate Legrand product or not.

Find the Copytracer label on the product box



To verify the authenticity of Legrand products:








Simply go to <http://www.legrand-copytracer.com>








- Step 1: Create your user account under the **register** tab
- Step 2: Identify your product under the **enter copytracer n°** tab
- Step 3: In the event of not having a number, go to the **product without copytracer n°** tab
- Step 4: If you can't read the number, go to the **illegible copytracer n°** tab

■ Counterfeits are dangerous and present risks for property and persons when used. The Copytracer number ensures that a product is traced and guarantees its production quality.






* Copytracer is a trademark of Legrand

Ysalis Prepacks

FUNCTION	MECHANISMS	
	Cat.Nos	Description
	○ PY124WHTL	1 Lever Switch Large White
	● PY124CHAL	1 Lever Switch Large Champagne
	● PY124BLKL	1 Lever Switch Large Black
	○ PY124WHT	1 Lever Switch White
	● PY124CHA	1 Lever Switch Champagne
	● PY124BLK	1 Lever Switch Black
	○ PY1224WHT	1 Lever Switch 2-Way White
	● PY1224CHA	1 Lever Switch 2-Way Champagne
	● PY1224BLK	1 Lever Switch 2-Way Black
	○ PY1124WHT	1 Lever Intermediate Switch White
	● PY1124CHA	1 Lever Intermediate Switch Champagne
	● PY1124BLK	1 Lever Intermediate Switch Black
	○ PYDP24WHT	Push Button (Bell-Press) White
	● PYDP24CHA	Push Button (Bell-Press) Champagne
	● PYDP24BLK	Push Button (Bell-Press) Black
	○ PYDP124WHT	Push Button (Bell-Press) +1L 1Way White
	● PYDP124CHA	Push Button (Bell-Press) +1L 1Way Champagne
	● PYDP124BLK	Push Button (Bell-Press) +1L 1Way Black
	○ PYDP1224WHT	Push Button (Bell-Press) + 1L 2Way White
	● PYDP1224CHA	Push Button (Bell-Press) + 1L 2Way Champagne
	● PYDP1224BLK	Push Button (Bell-Press) + 1L 2Way Black

FUNCTION	MECHANISMS	
	Cat.Nos	Description
	○ PY224WHT	2 Lever Switch White
	● PY224CHA	2 Lever Switch Champagne
	● PY224BLK	2 Lever Switch Black
	○ PY2224WHT	2 Lever Switch 2-Way White
	● PY2224CHA	2 Lever Switch 2-Way Champagne
	● PY2224BLK	2 Lever Switch 2-Way Black
	○ PYDP224WHT	Push Button (Bell-Press) + 2L 1Way White
	● PYDP224CHA	Push Button (Bell-Press) + 2L 1Way Champagne
	● PYDP224BLK	Push Button (Bell-Press) + 2L 1Way Black
	○ PY324WHT	3 Lever Switch White
	● PY324CHA	3 Lever Switch Champagne
	● PY324BLK	3 Lever Switch Black
	○ PY3224WHT	3 Lever Switch 2-Way White
	● PY3224CHA	3 Lever Switch 2-Way Champagne
	● PY3224BLK	3 Lever Switch 2-Way Black
	○ PY424WHT	4 Lever Switch White
	● PY424CHA	4 Lever Switch Champagne
	● PY424BLK	4 Lever Switch Black
	○ PY4224WHT	Four Lever Switch 2-Way White
	● PY4224CHA	Four Lever Switch 2-Way Champagne
	● PY4224BLK	Four Lever Switch 2-Way Black

FUNCTION	MECHANISMS	
	Cat.Nos	Description
	○ PYD124WHT	1 Lever Dimmer Switch White
	● PYD124CHA	1 Lever Dimmer Switch Champagne
	● PYD124BLK	1 Lever Dimmer Switch Black
	○ PYISO40AWHT	40A Isolator 4X4 White
	● PYISO40ACHA	40A Isolator 4X4 Champagne
	● PYISO40ABLK	40A Isolator 4X4 Black
	○ PYNO44WHT	New RSAx3 + Old RSA Socket White
	● PYNO44CHA	New RSAx3 + Old RSA Socket Champagne
	● PYNO44BLK	New RSAx3 + Old RSA Socket Black
	○ PYO44WHT	Old RSA Double Socket White
	● PYO44CHA	Old RSA Double Socket Champagne
	● PYO44BLK	Old RSA Double Socket Black
	○ PYONTVD44WHT	Old/New RSA Socket + TV + Data* White
	● PYONTVD44CHA	Old/New RSA Socket + TV + Data* Champagne
	● PYONTVD44BLK	Old/New RSA Socket + TV + Data* Black
	○ PYNSUD44WHT	New RSA Socket Switched x2 + USB x2 + Data* White
	● PYNSUD44CHA	New RSA Socket Switched x2 + USB x2 + Data* Champagne
	● PYNSUD44BLK	New RSA Socket Switched x2 + USB x2 + Data* Black
	○ PYDEDA44WHT	Dedicated Socket + Data* x2 White
	● PYDEDA44CHA	Dedicated Socket + Data* x2 Champagne
	● PYDEDA44BLK	Dedicated Socket + Data* x2 Black

FUNCTION	MECHANISMS	
	Cat.Nos	Description
	○ PYNOS44WHT	New RSA + Old Double Socket Switched White
	● PYNOS44CHA	New RSA + Old Double Socket Switched Champagne
	● PYNOS44BLK	New RSA + Old Double Socket Switched Black
	○ PY701025WHT	New RSA Double (Switch All) Socket Monobloc White
	● PY701125CHA	New RSA Double (Switch All) Socket Monobloc Champagne
	● PY701325BLK	New RSA Double (Switch All) Socket Monobloc Black
	○ PYSO44WHT	Single old RSA Socket Switched White
	● PYSO44CHA	Single old RSA Socket Switched Champagne
	● PYSO44BLK	Single old RSA Socket Switched Black
	○ PYONSU44WHT	Old RSA Socket Switched + New RSA Socket Switched + Double USB White
	● PYONSU44CHA	Old RSA Socket Switched + New RSA Socket Switched + Double USB Champagne
	● PYONSU44BLK	Old RSA Socket Switched + New RSA Socket Switched + Double USB Black
	○ PYMONU44WHT	Mono block 1x old RSA socket 1x New RSA socket and double USB type A&C 5VDC 3A
	● PYMONU44CHA	Mono block 1x old RSA socket and 1x New RSA socket and double USB type A&C 5VDC 3A
	● PYMONU44BLK	Mono block 1x old RSA socket 1x New RSA socket and double USB type A&C 5VDC 3A

* Cat. 6 UTP



FOLLOW US ALSO ON

- @ website: www.legrand.co.za
- f www.facebook.com/LegrandSouthAfrica
- t @legrandsa
- in Legrand South Africa
- p <https://za.pinterest.com/legrandsa>
- o @legrand_south_africa



LEGRAND S.A.

21 Spartan Crescent

Eastgate Ext 3

Sandton 2054

Tel: +27 11 444 7971

Fax: +27 11 444 7980

Email: legrand.south-africa@legrand.co.za