

SINGLE PHASE UPS

UPS
FIND YOUR
SOLUTION



**GLOBAL SPECIALIST IN ELECTRICAL AND DIGITAL
BUILDING INFRASTRUCTURES**

 **legrand**[®]



CONSUMER AND SOHO APPLICATIONS

- TV
- PC
- Phone
- Point of sale
- Internet connectivity
- CCTV
- Game console
- Home Automation
- Audio Video System
- Antenna
- Entry Door System

Home



Shop

Office



Reception



SERVER AND NETWORKS APPLICATIONS

- PC
- Network Switch
- Voip System
- NAS
- Server
- Telecom
- Antifire
- Lighting

Data center



Office

IT application



Server & Network



INDUSTRIAL AND CRITICAL APPLICATIONS

- Elevators
- CCTV
- Security System
- Medical equipment
- Industrial equipment
- Industrial automation
- Machine tool
- ATM
- Ticket machine
- Slidding doors
- Work shop
- Emergency lighting
- Signaling System

Hospital - healthcare



Industrial












Public



Working area



	Item code
KEOR MULTIPLUG 	3 100 81
	3 100 83
	3 100 82
	3 100 84
KEOR SP 	3 101 80
	3 101 81
	3 101 82
	3 101 83
	3 101 84
	3 101 85
	3 101 86
	3 101 87
	3 101 88
	3 101 89
	3 101 90
	3 101 91
	3 101 92
	3 101 93
3 101 94	
NIKY-S 	3 100 06
	3 100 20
	3 100 07
	3 100 08
KEOR LINE RT 	3 100 45
	3 100 46
	3 100 47
	3 100 48
DAKER DK PLUS 	3 101 70
	3 101 71
	3 101 72
	3 101 73
	3 101 75
	3 101 74
	3 101 76
	3 101 77
	3 101 78
	3 101 78
3 101 78	
MEGALINE RACK 	3 103 79
	3 103 81
	3 103 83
	3 103 85
	3 103 34
	3 103 35
	3 103 36
	3 103 37
	3 103 38
	3 103 39
	3 103 40
	3 103 41
	3 103 41
	3 103 41
3 103 41	
KEOR LP 	3 101 54
	3 101 55
	3 101 56
	3 101 57
	3 101 58
	3 101 59
	3 101 59
	3 101 59
	3 101 59
	3 101 59
KEOR S 	3 101 21
	3 101 22
	3 101 23
	3 101 25
	3 101 28
	3 101 29
	3 101 31
	3 101 35
	3 101 35
	3 101 35
MEGALINE 	3 103 50
	3 103 52
	3 103 54
	3 103 56
	3 103 42
	3 103 43
	3 103 44
	3 103 45
	3 103 46
	3 103 47
	3 103 48
	3 103 49
	3 103 60 + 3 107 78
	3 103 63 + 3 107 79
	3 103 66 + 3 107 80
	3 103 69 + 3 107 81
3 103 72 + 3 107 82	

Back-up time expandable	Power scalability/redundancy	Isolation transformer integrated	Power		Back-up time (min)*	Outlet	Dimensions H x W x D (mm)	Net weight (kg)	Communication port	SNMP slot					
			(VA)	(W)											
-	-	-	600	360	up to 15	4+2 German + 1 USB	190 x 89.5 x 296	5	-	-					
-	-	-	800	480		4+2 French + 1 USB			-	-					
-	-	-	600	360		4+2 German + 1 USB		5,5	-	-					
-	-	-				4+2 French + 1 USB									
-	-	-	600	360	up to 15	4 IEC 10A	120 x 138 x 330	5	USB HID	-					
-	-	-				1 IEC + 1 German			USB HID	-					
-	-	-				1 IEC + 1 French		USB HID	-						
-	-	-				4 IEC 10A		USB HID	-						
-	-	-	800	480	up to 15	1 IEC + 1 German	120 x 138 x 330	5,5	USB HID	-					
-	-	-				1 IEC + 1 French			USB HID	-					
-	-	-				6 IEC 10A		USB HID	-						
-	-	-				2 IEC 10A + 2 German		USB HID	-						
-	-	-	1000	600	up to 10	2 IEC 10A + 2 French	148 x 173 x 380	9	USB HID	-					
-	-	-				6 IEC 10A			USB HID	-					
-	-	-				1500		900	up to 10	2 IEC 10A + 2 German	10,5	USB HID	-		
-	-	-								2 IEC 10A + 2 French		USB HID	-		
-	-	-	2000	1200	up to 10		6 IEC 10A			11,8	USB HID	-			
-	-	-					2 IEC 10A + 2 German				USB HID	-			
-	-	-				1000	600	9	2 IEC 10A + 2 French	13	USB - Serial on RS232	external			
-	-	-							6 IEC 10A		USB - Serial on RS232	external			
-	-	-	1500	900	8				6 IEC 10A	15	USB - Serial on RS232	external			
-	-	-							2000		1200	9	6 IEC 10A	22	USB - Serial on RS232
-	-	-				3000	1800	8		6 IEC 10A			24		USB - Serial on RS232
-	-	-								1000				900	10
-	-	-	1500	1350	8								8 IEC 10A		
-	-	-							2200		1980	8	8 IEC 10A + 1 16A		
-	-	-				3000	2700	8							
•	-	-								1000			900	9	6 IEC 10A
•	-	-	2000	1800	10										6 IEC 10A
•	-	-							3000		2700	7			6 IEC 10A
•	-	-				5000	5000	6							Hardwired
-	-	-								5000			5000	-	Hardwired
•	-	-	6000	6000	5										Hardwired
-	-	-							10000		10000	-			Hardwired
-	-	-				10000	10000	-							Hardwired
•	•	-								1250			875	13	4 German
•	•	-	2500	1750	13										4 German
•	•	-							3750		2625	13			4 German
•	•	-				5000	3500	13							4 German
•	•	-								1250			875	13	4 French
•	•	-	2500	1750	13										4 French
•	•	-							3750		2625	13			4 French
•	•	-				5000	3500	13							4 French
•	•	-								1250			875	13	4 UK
•	•	-	2500	1750	13										4 UK
•	•	-							3750		2625	13			4 UK
•	•	-				5000	3500	13							4 UK
•	-	-								1000			900	5	3 IEC 10A
•	-	-	2000	1800	5										3 IEC 10A + 1 French
•	-	-							3000		2700	5			6 IEC 10A
•	-	-				3000	2700	5							3 IEC 10A + 2 French
•	-	-								3000			2700	5	6 IEC 10A
•	-	-	3000	2700	5										6 IEC 10A + 2 French
•	-	-							3000		2400	10			Hardwired
•	-	-				3000	2400	27							Hardwired
•	-	-								3000			2400	50	Hardwired
•	-	•	6000	5000	10										Hardwired
•	-	-							6000		5000	22			Hardwired
•	-	•				10000	9000	-							Hardwired
•	-	-								10000			9000	10	Hardwired
•	-	•	10000	9000	-										Hardwired
•	•	-							1250		875	13			4 German
•	•	-				2500	1750	13							4 German
•	•	-								3750			2625	13	4 German
•	•	-	5000	3500	13										4 German
•	•	-							1250		875	13			4 French
•	•	-				2500	1750	13							4 French
•	•	-								3750			2625	13	4 French
•	•	-	5000	3500	13										4 French
•	•	-							1250		875	13			4 UK
•	•	-				2500	1750	13							4 UK
•	•	-								3750			2625	13	4 UK
•	•	-	5000	3500	13										4 UK
•	•	-							5000		3500	-			Hardwired
•	•	-				6250	4375	-							Hardwired
•	•	-								7500			5250	-	Hardwired
•	•	-	8750	6125	-										Hardwired
•	•	-							10000		7000	-			Hardwired

*The stated back-up times in minutes are estimated with an average load and may vary according to the load characteristics, operating conditions and environment.



**World Headquarters and
International Department**
87045 Limoges Cedex - France
Tel. : + 33 (0) 5 55 06 87 87
Fax : + 33 (0) 5 55 06 74 55

In accordance with its policy
of continuous improvement, the
Company reserves the right to change
specifications and designs without
notice. All illustrations, descriptions,
dimensions and weights in this
catalogue are given as a guide only.